

Qualified Interim Report Certifications

The count of 10 qualified certifications marks the second lowest number observed in more than 31 reporting periods (16+ years).

In the count of 10 qualified certifications marks the second lowest number observed in more than 31 reporting periods (16+ years).

In the count of 10 qualified certifications marks the second lowest number observed in more than 31 reporting periods (16+ years).

In the count of 10 qualified certifications marks the second lowest number observed in more than 31 reporting periods (16+ years).



Qualified Interim Certifications

District	Status*
San Antonio ROP	Qualified 1
Byron Union ESD	Qualified 2
Cabrillo USD	Qualified 2
Calaveras USD	Qualified 1
Ducor Union ESD	Downgrade 1
Oakland USD	Qualified 12
Oak Grove Union ESD	Qualified 1
Piedmont City USD	Qualified 1
Round Valley USD	Qualified 1
West Contra Costa USD	Qualified 1

*Number in "status" column indicates consecutive certification.

Source: Second Interim Reports 2022-23 as of April 20, 2023

FCMAT

5

Negative Interim Report Certifications

All the negative certifications belong to small districts, two of which have an average daily attendance of only 9 and 92, respectively.

Source: Second Interim Reports 2022-23 as of April 20, 2023.

FCMAT

Property Certifications

Source: Second Interim Reports 2022-23 as of April 20, 2023.

Property Certifications

Number of Districts

Property Certifications

Property Certifications

Property Certifications

Number of Districts

Property Certifications

**Pro

6



Negative Interim Certifications

District	Status*
Happy Camp Union ESD	Negative 1
Junction ESD	Negative 2
Ojai USD	Negative 2

*Number in "status" column indicates consecutive certification.

Source: Second Interim Reports 2022-23 as of April 20, 2023

FCMAT


7

FCMA

7

Downgraded Interim Report Certifications

The total count of qualified and negative reports includes interim reports that have certifications downgraded by the county superintendent.



8

FCMAT



